

COPY

FILED

1 Charles E. Lipsey (pro hac vice)

2 L. Scott Burwell (pro hac vice)

3 FINNEGAN, HENDERSON, FARABOW OCT 30 PM 4: 08

4 GARRETT & DUNNER, L.L.P.

5 1300 I Street, N.W., Suite 700

6 Washington, D.C. 20005-3315

7 Telephone: (202) 408-4000

8 Facsimile: (202) 408-4400

CLERK, U.S. DISTRICT COURT
SOUTHERN DISTRICT OF CALIFORNIA

DEPUTY

9 Thomas W. Banks (SBN 195006)

10 FINNEGAN, HENDERSON, FARABOW,

11 GARRETT & DUNNER, L.L.P.

12 245 First Street, 18th Floor

13 Cambridge, Massachusetts 02142

14 Telephone: (617) 444-8508

15 Facsimile: (617) 444-8608

16 WRIGHT & L'ESTRANGE

17 John H. L'Estrange, Jr. (SBN 49594)

18 Imperial Bank Tower, Suite 1550

19 701 "B" Street

20 San Diego, California 92101-8103

21 Telephone: (619) 231-4844

22 Attorneys for Defendant VYSIS, INC.

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF CALIFORNIA

23 GEN-PROBE, INCORPORATED,

24 Plaintiff,

25 v.

26 VYSIS, INC.,

27 Defendant.

CASE NO. 99CV 2668H (AJB)

**VYSIS' STATEMENT OF DISPUTED
FACTS IN OPPOSITION TO GEN-
PROBE'S MOTION FOR PARTIAL
SUMMARY JUDGMENT OF
NONINFRINGEMENT UNDER THE
DOCTRINE OF EQUIVALENTS**

Date: November 13, 2001

Time: 10:30 a.m.

Place: Courtroom 1

28 Defendant Vysis, Inc. respectfully submits the following statement of disputed material facts,
together with supporting evidence, in support of its Opposition to Gen-Probe's Motion for Partial
Summary Judgment of Noninfringement Under the Doctrine of Equivalents.

GEN-PROBE ALLEGED UNDISPUTED FACTS	DISPUTED FACTS AND SUPPORTING EVIDENCE
<p>1. Vysis has previously admitted that TMA is a sequence-specific amplification method and does not use methods of non-specific amplification.</p>	<p>Vysis did not dispute this assertion in its opposition to Gen-Probe's April 30, 2001 Motion for Partial Summary Judgment.</p>
<p>2. All of the claims of the '338 patent incorporate an "amplification" element. The Court's June 20th Order confirms that each of those claims and incorporated amplification elements literally encompasses only non-specific amplification techniques.</p>	<p>The Court's construction of the claims of the '338 patent is a legal question, not a factual one. Vysis contends that the Court's resolution of that question of law is legally incorrect.</p>
<p>3. The differences between specific amplification methods and non-specific amplification methods are substantial.</p>	<p>Disputed. See Persing Decl., ¶¶ 5 -16.</p>
<p>4. The methods do not perform the same function in the same way to achieve the same result.</p>	<p>Disputed. See Persing Decl., ¶¶ 5-16.</p>
<p>5. Gen-Probe's TMA method functions to exponentially increase both the absolute and relative amount of a particular nucleic acid sequence of interest in a mixture of nucleic</p>	<p>No dispute.</p>

1	acids.	
2		
3	6. In direct contrast, non-specific	In the context of the claims of the '338 patent,
4	amplification functions only to increase the	the amplification step increases both the
5	absolute amount of all nucleic acids present in	absolute and relative amount of the target
6	a sample and does not increase the relative	nucleic acid present in the tested sample. See
7	amount of a particular nucleic acid sequence	'338 patent.
8	of interest.	
9		
10	7. Vysis' own expert has admitted the	Vysis' expert has not opined that there is no
11	differences in function between specific	difference between specific and nonspecific
12	amplification and non-specific amplification.	amplification techniques, but has the opinion
13		that the differences are insubstantial. See
14	[N]on-specific amplification	Persing Decl. ¶¶ 5 -16.
15	techniques amplify all of the nucleic	
16	acid in a sample, both target and	
17	non-target nucleic acid. Specific	
18	amplification techniques, <i>in</i>	
19	<i>contrast</i> , are intended to amplify	
20	only the target nucleic acid.	
21	8. When a particular nucleic acid sequence of	No dispute.
22	interest is contained in a mixture of nucleic	
23	acids in a clinical sample, TMA enables a	
24	person skilled in the art to exponentially copy	
25	the sequence of interest.	
26		
27	9. This makes it easy to determine whether or	No dispute.
28	not a pathogenic microorganism is hiding	

<p>1 among millions of other organisms in a 2 patient sample. 3</p>	
<p>4 10. Specific amplification is useful for 5 diagnostic purposes even without a target 6 capture step. In contrast, non-specific 7 amplification is <i>not</i> a viable diagnostic 8 method because it does not increase the 9 amount of a target nucleic acid relative to 10 everything else. Vysis' own expert witness 11 has admitted this important distinction: 12 13 14 Without the use of target capture 15 prior to amplification, <i>non-specific</i> 16 <i>amplification would not be a viable</i> 17 <i>technique for detecting target</i> 18 <i>nucleic acids in a sample</i> because, 19 as pointed out in the quoted 20 paragraph, non-specific 21 amplification causes the replication 22 of virtually any nucleic acid 23 sequence, including other irrelevant 24 nucleic acids in the sample. 25 26 27 28</p>	<p>Vysis disputes that non-specific amplification is "not a viable diagnostic method." Non-specific amplification is a viable diagnostic method when used in the context of claims of the '338 patent. May 25, 2001 Persing Decl., ¶ 11.</p>
<p>11. Therefore, Dr. Persing has admitted that "without the invention [i.e., the combination of a preliminary "target capture" step with amplification], <i>only specific amplification could be used.</i>"</p>	<p>Vysis disputes that the quoted section of Dr. Persing's May 25, 2001 Declaration was based on the assertions in Gen-Probe's Undisputed Fact No. 10.</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

<p>12. The enzymes and primers used in any amplification process can be specific or non-specific.</p>	<p>No dispute.</p>
<p>13. The primers used in Gen-Probe's specific TMA amplification method have been carefully selected by Gen-Probe's scientists and are generally designed to bind to specific, unique sequences in a DNA or RNA molecule.</p>	<p>No dispute.</p>
<p>14. In amplification processes, sequence-specific primers and enzymes such as those used in TMA play a role substantially different from non-specific primers and enzymes.</p>	<p>Disputed. See Persing Decl., ¶¶ 10 -16.</p>
<p>15. This fact is well known to those of ordinary skill in the art.</p>	<p>Disputed. See Persing Decl., ¶¶ 10 -16.</p>
<p>16. For example, specific primers and enzymes can function together to amplify a target nucleic acid only if the specific sequence of interest bound by the primer and/or recognized by the enzymes is present</p>	<p>Disputed. All nucleic acid amplification techniques have some degree of nonspecificity. See Persing Decl., ¶ 6.</p>

1	in the sample.	
2		
3	17. By contrast, non-specific primers and	No dispute.
4	enzymes will amplify <i>any</i> and <i>all</i> sequences	
5	present in the sample.	
6		
7	18. The random primers will bind to all of the	No dispute.
8	sequences in the sample and non-specific	
9	replication enzymes will catalyze DNA	
10	synthesis at points throughout the entire	
11	lengths of the nucleic acid molecules present	
12	without regard to sequence.	
13		
14	19. In its TMA method, Gen-Probe uses two	No dispute.
15	amplification enzymes that depend upon the	
16	presence of specific primers.	
17		
18	20. One of these enzymes is reverse	No dispute.
19	transcriptase ("RT").	
20		
21	21. RT is a DNA polymerase that produces a	No dispute.
22	complementary DNA strand copy of a single-	
23	stranded RNA or DNA that has a bound	
24	primer.	
25		
26	22. In TMA, RT produces complementary	No dispute.
27	DNA from the target nucleic acids (or their	
28		

<p>1 complementary strands) only if the sequence- 2 specific primers first bind to a single strand of 3 RNA or DNA. 4</p>	
<p>5 23. If the target organism is not present in the 6 sample, the primers will be unable to bind to 7 the captured sequence and the RT will not 8 initiate synthesis. 9</p>	<p>Disputed. All nucleic acid amplification techniques have some degree of nonspecificity. See Persing Decl., ¶ 6.</p>
<p>10 24. Another specific primer used in Gen- 11 Probe's method also includes a specific 12 "promoter" sequence that is recognized by 13 another enzyme ("T7 RNA polymerase") that 14 binds specifically to that promoter sequence 15 to produce many RNA copies by 16 transcription. 17 18</p>	<p>No dispute.</p>
<p>19 25. A function "T7 promoter" is formed in 20 the course of the TMA process if, and only if, 21 (1) the primer finds and binds to its 22 complementary target sequence in the 23 captured target molecule so that the target 24 sequence is copied by reverse transcriptase 25 and (2) the second primer binds to the newly 26 synthesized DNA and DNA polymerase 27 28</p>	<p>Disputed. All nucleic acid amplification techniques have some degree of nonspecificity. See Persing Decl., ¶ 6.</p>

<p>1 makes the complementary DNA strand.</p> <p>2</p>	
<p>3 26. If this double-stranded, and hence</p> <p>4 functional, T7 promoter <i>is</i> formed as a result</p> <p>5 of these <i>two</i> primer binding and extension</p> <p>6 processes, then the T7 RNA polymerase used</p> <p>7 in Gen-Probe's HIV/HCV test will amplify</p> <p>8 the sequence attached to the T7 promoter</p> <p>9 sequence.</p> <p>10</p>	<p>No dispute.</p>
<p>11 27. The T7 RNA polymerase does not</p> <p>12 amplify other sequences present in the sample</p> <p>13 because they are not attached to a T7</p> <p>14 promoter sequence.</p> <p>15</p> <p>16</p>	<p>Disputed. All nucleic acid amplification</p> <p>techniques have some degree of nonspecificity.</p> <p>See Persing Decl., ¶ 6.</p>
<p>17 28. Thus, in Gen-Probe's HIV/HCV test, the</p> <p>18 T7 polymerase enzyme <i>specifically</i></p> <p>19 recognizes the T7 promoter sequence, which</p> <p>20 has been <i>specifically</i> attached to the target</p> <p>21 sequence by the binding of <i>specific</i> primers,</p> <p>22 and the T7 polymerase <i>specifically</i> amplifies</p> <p>23 only that sequence.</p> <p>24</p>	<p>Disputed. All nucleic acid amplification</p> <p>techniques have some degree of nonspecificity.</p> <p>See Persing Decl., ¶ 6.</p>
<p>25 29. The process repeats in a cyclic fashion,</p> <p>26 only amplifying the particular target sequence</p> <p>27</p> <p>28</p>	<p>Disputed. All nucleic acid amplification</p> <p>techniques have some degree of nonspecificity.</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

of interest.	See Persing Decl., ¶ 6.
30. Gen-Probe's amplification method therefore safeguards against amplification of non-target sequences and thus protects against false positive results.	Disputed. All nucleic acid amplification techniques have some degree of nonspecificity. See Persing Decl., ¶ 6.
31. TMA functions in way that is substantially different than the way in which non-specific amplification functions.	Disputed. See Persing Decl., ¶¶ 9 -16.
32. Specific amplification methods commonly achieve <i>exponential</i> amplification of the target sequence, as compared with linear amplification.	Disputed. Specific amplification methods can achieve either linear or exponential amplification, depending on the reaction conditions and the techniques employed. Vysis requires discovery from Gen-Probe's expert to provide further support for its dispute of this fact.

<p>1 33. Sustained, significant, exponential 2 amplification is a hallmark of specific 3 amplification methods. 4 5 6 7 8 9</p>	<p>Disputed. Specific amplification methods can achieve either linear or exponential amplification, depending on the reaction conditions and the techniques employed. Vysis requires discovery from Gen-Probe's expert to provide further support for its dispute of this fact.</p>
<p>10 34. In contrast, the non-specific amplification 11 methods of Examples 4 and 5 of the '338 12 patent admittedly achieve only linear 13 amplification, not exponential amplification. 14</p>	<p>No dispute.</p>
<p>15 35. The non-specific amplification methods 16 of Examples 5 and 6 also cannot achieve 17 exponential amplification. Because random 18 primers bind at various places along the 19 nucleic acids present in the sample, the 20 products of amplification are fragmented. 21 22</p>	<p>Disputed. Example 6 of the '338 patent discloses a technique for achieving exponential amplification of a target nucleic acid. ('338 patent, col. 31, line 55 to col. 32, line 7.)</p>
<p>23 36. If these products were then subjected to 24 another round of non-specific amplification, 25 the resulting products would be smaller still. 26</p>	<p>Disputed. Vysis requires discovery from Gen-Probe's expert to provide further support for its dispute of this fact.</p>
<p>27 37. Multiple rounds of non-specific 28 amplification thus diminish rapidly in</p>	<p>Disputed. Vysis requires discovery from Gen-Probe's expert to provide further support</p>

<p>1 efficiency, whereas multiple rounds of 2 specific amplification produce extraordinarily 3 large amounts of full size product nucleic 4 acids in very short periods of time.</p>	<p>for its dispute of this fact.</p>
<p>6 38. Non-specific amplification using random 7 hexamer primers results in fragmented nucleic 8 acids, each of which contains the random 9 sequences present in the primers.</p>	<p>No dispute.</p>
<p>12 39. The resulting products are thus 13 heterogeneous and have undefined 14 composition.</p>	<p>Disputed. Vysis requires discovery from Gen-Probe's expert to provide further support for its dispute of this fact.</p>
<p>16 40. Such nucleic acids are unsuitable for most 17 of the purposes for which homogeneous, 18 specifically amplified nucleic acids of known 19 composition are employed.</p>	<p>Disputed. In the context of the claimed invention, on-specific amplification techniques can amplify target nucleic acids in a manner sufficient to permit their detection as part of a diagnostic assay.</p>
<p>22 41. As a result, Gen-Probe's TMA method 23 also does not yield the same result as that 24 obtained with non-specific amplification.</p>	<p>Disputed. See Persing Decl., ¶¶ 9 -16.</p>
<p>26 42. The Court has previously noted that the 27 specification of the '338 patent contains no 28</p>	<p>Vysis disputes the implication that specific amplification techniques are excluded from the</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

<p>reference to any specific amplification techniques. To the contrary, the specification clearly suggests that the claimed amplification techniques of the invention don't require the use of specific primers necessary for specific amplification.</p>	<p>claims of the '338 patent.</p>
---	-----------------------------------

1 43. This absence in the '338 patent of any
2 disclosure of specific amplification techniques
3 was not accidental or unintended. To the
4 contrary, Gene-Trak Systems, Vysis'
5 predecessor-in-interest, and its employed
6 inventors were well aware of the specific
7 amplification techniques such as PCR. In
8 fact, the admitted focus of the inventors'
9 effort leading to the disclosure in the '338
10 patent was to find something "different" from
11 specific amplification. For example, inventor
12 Jon Lawrie testified that the patent was meant
13 to cover new amplification methods using
14 non-specific primers, not already-known
15 methods such as PCR:
16
17

18
19 Q. Can you recall any reason that a
20 reference to PCR might have been
21 intentionally omitted from the
22 patent application?

23 A. Yes....
24

25
26 Q. If there's no reference in the
27 ['338] patent to combining target
28 capture with PCR, do you have any
explanation as to why it is not there?

Vysis disputes there is an absence of any
disclosure of specific amplification in the '338
patent. Vysis does not dispute that Dr. Lawrie
made the quoted statements in his deposition,
but disputes the relevance of those statements
to the determination of infringement under the
doctrine of equivalents.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

A. I believe that it was a separate, the thought behind this [referring to the '338 patent] was coming up with new methods of amplification, not old ones.

Q. For the purposes of what you just said you classify PCR as an old method of amplification?

A. PCR itself was described in the patent, issued patent [e.g., it was an "old" method].

Q. And your understanding of the 338 patent was that it was directed to other methods of amplification?

A. The, it was, it was directed to the methods disclosed by, you know, the *methods separate from PCR*.

44. Inventor King also stated the inventors' purpose and also distinguished non-specific amplification from PCR:

Q. From a high level perspective, what were the discussion topics

Vysis does not dispute that Dr. King made the quoted statements in his deposition, but disputes the relevance of those statements to the determination of infringement under the doctrine of equivalents.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

<p>addressed during this meeting?</p> <p>A. I think that at the highest level we were looking for amplification methods <i>that did not involve PCR amplification.</i></p> <p>(King Depo. At 45:10-15 (emphasis added).)</p> <p>Q. Okay. So the purpose -- the general purpose of the discussion as I understand it that took place at Gene-Trak among the four doctors was to identify -- in general identify an amplification technique that would amplify low concentrations of target nucleic acids in a sample, correct?</p> <p>A. Yes.</p> <p>Q. And as I understand your testimony, you wanted to find a technique <i>that was different from PCR</i>, correct?</p> <p>A. Yes.</p>	<p>doctrine of equivalents.</p>
<p>45. As this testimony suggests, PCR was well known to the inventors and the scientific</p>	<p>No dispute.</p>

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

<p>community at large. Dr. Kary Mullis invented PCR in 1983, for which he received the Nobel Prize in Chemistry. Dr. Mullis and his colleagues publicly described PCR at a scientific meeting in the summer of 1985 and published their discovery in December 20, 1985.</p>	
<p>46. James Richards, Gene Trak's Director of Business Development and Licensing, admits that, within the scientific community, PCR was immediately "big news."</p>	<p>No dispute.</p>
<p>47. One of the reasons that the '338 inventors sought to find something "different" from specific amplification techniques such as PCR was due to Gene Trak's concern that it could not obtain a license from Cetus Corp. to use PCR. Cetus Corporation, which employed Dr. Mullis, originally owned the rights to PCR. Gene-Trak sought a license from Cetus, but its requests were rejected.</p>	<p>No dispute.</p>
<p>48. The view of the fundamental difference between non-specific and specific</p>	<p>Vysis disputes the statement that there is a "fundamental difference between non-specific</p>


1 amplification techniques was shared not only
2 between the inventors but with Gene-Trak
3 scientific management as well. In particular,
4 in a letter he wrote in 1989, Dr. Richards,
5 pointedly contrasted the '338 patent's method
6 of non-specific amplification with other
7 known specific methods that used specific
8 primers or promoters:

11 Cetus, Sibia/Salk, Biotechnica, etc.
12 all claim specific primers for
13 amplification *whereas the present*
14 *invention claims uses of the*
15 *opposite, namely, non-specific*
16 *primer or promoters....*

and specific amplification techniques.” See
Persing Decl., ¶¶ 5 -16. Vysis also disputes
that the independent claims of the '338 patent
ever recited non-specific primers or promoters.

17 Date: October 30, 2001

WRIGHT & L'ESTRANGE

18
19 

20 John H. L'Estrange, Jr.
21 Imperial Bank Tower, Suite 1550
22 701 "B" Street
23 San Diego, California 92101-8103

24 FINNEGAN, HENDERSON, FARABOW,
25 GARRETT & DUNNER, L.L.P.

26 Charles E. Lipsey
27 L. Scott Burwell
28 1300 I Street, N.W., Suite 700
Washington, D.C. 20005-3315

Thomas W. Banks
245 First Street, 18th Floor
Cambridge, Massachusetts 02142